

## Manchon réduit male x femelle



Manchon réduit male x femelle

**Utilisations :** Fluides courants compatibles.

**Matière :** Fonte galvanisée

**Limites de températures et PMS :**

De -20°C à +120°C : PMS = 25 Bars

De +120°C à +300°C : PMS = 20 Bars

| Code   | Référence        | D1         | D2        | Poids |
|--------|------------------|------------|-----------|-------|
|        |                  | MALEXFEM   |           |       |
| 001285 | 241G 1/4X1/8     | MALE 1/4   | FEM 1/8   | 0     |
| 001296 | 241G 3/8X1/4     | MALE 3/8   | FEM 1/4   | 0.019 |
| 001283 | 241G 1/2X1/4     | MALE 1/2   | FEM 1/4   | 0.038 |
| 001284 | 241G 1/2X3/8     | MALE 1/2   | FEM 3/8   | 0.039 |
| 031017 | 241G 3/4X1/4     | MALE 3/4   | FEM 1/4   | 0.072 |
| 001295 | 241G 3/4X3/8     | MALE 3/4   | FEM 3/8   | 0.07  |
| 001294 | 241G 3/4X1/2     | MALE 3/4   | FEM 1/2   | 0.06  |
| 001286 | 241G 1"X3/8      | MALE 1"    | FEM 3/8"  | 0.1   |
| 001280 | 241G 1"X1/2      | MALE 1"    | FEM 1/2   | 0.108 |
| 001281 | 241G 1"X3/4      | MALE 1"    | FEM 3/4   | 0.082 |
| 001279 | 241G 1"1/4X3/8   | MALE 1"1/4 | FEM 3/8"  | 0.209 |
| 001277 | 241G 1"1/4X1/2   | MALE 1"1/4 | FEM 1/2   | 0.18  |
| 001278 | 241G 1"1/4X3/4   | MALE 1"1/4 | FEM 3/4   | 0.18  |
| 001276 | 241G 1"1/4X1"    | MALE 1"1/4 | FEM 1"    | 0.17  |
| 018003 | 241G 1"1/2X1/2   | MALE 1"1/2 | FEM 1/2   | 0.22  |
| 001275 | 241G 1"1/2X3/4   | MALE 1"1/2 | FEM 3/4   | 0.24  |
| 001273 | 241G 1"1/2X1"    | MALE 1"1/2 | FEM 1"    | 0.18  |
| 001274 | 241G 1"1/2X1"1/4 | MALE 1"1/2 | FEM 1"1/4 | 0.16  |
| 018004 | 241G 2"X1/2      | MALE 2"    | FEM 1/2   | 0.4   |
| 018005 | 241G 2"X3/4      | MALE 2"    | FEM 3/4   | 0.4   |
| 001287 | 241G 2"X1"       | MALE 2"    | FEM 1"    | 0.41  |
| 001291 | 241G 2"X1"1/4    | MALE 2"    | FEM 1"1/4 | 0.33  |
| 001288 | 241G 2"X1"1/2    | MALE 2"    | FEM 1"1/2 | 0.25  |
| 018006 | 241G 2"1/2X1/2   | MALE 2"1/2 | FEM 1/2   | 0.7   |
| 018007 | 241G 2"1/2X3/4   | MALE 2"1/2 | FEM 3/4   | 0.7   |
| 018008 | 241G 2"1/2X1"1/4 | MALE 2"1/2 | FEM 1"1/4 | 0.6   |
| 018009 | 241G 2"1/2X1"1/2 | MALE 2"1/2 | FEM 1"1/2 | 0.648 |
| 001289 | 241G 2"1/2X2"    | MALE 2"1/2 | FEM 2"    | 0.51  |
| 001292 | 241G 3"X1"       | MALE 3"    | FEM 1"    | 1     |
| 018010 | 241G 3"X1"1/4    | MALE 3"    | FEM 1"1/4 | 0.82  |
| 018011 | 241G 3"X1"1/2    | MALE 3"    | FEM 1"1/2 | 0.82  |
| 018012 | 241G 3"X2"       | MALE 3"    | FEM 2"    | 1     |
| 001293 | 241G 3"X2"1/2    | MALE 3"    | FEM 2"1/2 | 0.545 |
| 001290 | 241G 2"1/2X1"    | MALE 2"1/2 | FEM 1"    | 0.59  |

| <b>Code</b> | <b>Référence</b> | <b>D1</b> | <b>D2</b> | <b>Poids</b> |
|-------------|------------------|-----------|-----------|--------------|
| 018013      | 241G 4"X2"       | MALE 4"   | FEM 2"    | 1.5          |
| 018014      | 241G 4"X2"1/2    | MALE 4"   | FEM 2"1/2 | 1.2          |
| 001297      | 241G 4"X3"       | MALE 4"   | FEM 3"    | 1.2          |
| 038721      | 241G 4"X1"1/2    | MALE 4"   | FEM 1"1/2 | 1.54         |